



*Enameled Iron
Sanitary Ware*


SALEM, OHIO. U.S.A.

THE NATIONAL SANITARY COMPANY

Enameled Cast Iron
and
Vitreous China Sanitary
Ware

1929

SALEM, OHIO, U. S. A.



New and Modern Plant of
THE NATIONAL SANITARY COMPANY
SALEM, OHIO
Erected 1928

INTRODUCTION

In this catalogue you will find, illustrated, our line of sanitary plumbing fixtures. All of the illustrations have been made from actual photographs of the fixtures shown and will give the purchaser an idea as to the shape of the piece but the quality can only be shown in the actual fixture.

TERMS

Thirty days net or two percent discount if paid within ten days from date of invoice.

INSPECTION AND SHIPMENT

All goods are inspected when made and again before being crated. Orders are checked and rechecked before shipping. Packing is done by experienced men, thus taking all reasonable precautions against breakage or damage. Therefore our responsibility ceases upon delivery of goods in good order to transportation company.

DAMAGES

Guaranteed goods proving defective in material or workmanship will be replaced, but no claims will be allowed for labor, cartage, or other contingent damage.

RETURNED GOODS

No credit will be allowed for goods returned unless full explanation has been made and our consent obtained.

When goods are returned, please be careful to put marks plainly thereon, showing from whom returned.

All orders are accepted subject to delays in delivery resulting from fires, strikes and other causes beyond our control.

No freight allowance on shipments of 200 pounds and under.

ENAMELED WARE---GRADING RULES

Adopted by

THE ENAMELED SANITARY WARE MANUFACTURERS' ASSOCIATION

Enameled Sanitary Ware is thoroughly coated with enamel of good color, as evenly and smoothly as the limitations of the art permit. Careful inspection of each article is employed in the different processes of manufacture. Unimportant variations, which cannot be entirely prevented, are not valid causes for rejection or for complaint, and no claims will be entertained for them. These variations include pin holes, minute scratches or lines, unevenness and small specks of foreign matter.

A visit to any of the works to see ware in process of manufacture is one of the best possible ways to overcome tendency towards unreasonable criticism of general quality.

Absolute Perfection Is Not Guaranteed or Commercially Possible

THE TREATMENT OF ENAMELED WARE

While the casting part can withstand considerable shock without breaking, the enamel coating is of porcelain composition, and if the article is subjected to severe strains or shocks, this coating will shatter or crack in the same manner as will china or glass.



Cornwall—Plate N-10

One Piece Built-in Bath Enameled All Over. Right Hand Corner with Outlet in Right Hand End. Drilled for Top Nozzle Supply Fitting as shown.

Can also be furnished Drilled for Double Bath Combination and Connected Waste and Overflow.

DIMENSIONS

Made in Two Sizes as Follows:

Size	5	ft.	5½	ft.
Length over all.....	60½	in.	66½	in.
Width over all.....	30½	in.	30½	in.
Height over all.....	18	in.	18	in.
Depth inside.....	17	in.	17	in.
Rim	3¾	in.	3¾	in.
Approx. shipping weight.....	570	lbs.	630	lbs.

IMPORTANT—Be sure to state kind of drilling wanted.



Cornwall—Plate N-11

One Piece Built-in Bath Enameled All Over. Left Hand Corner with Outlet in Left Hand End. Drilled for Top Nozzle Supply Fitting as shown.


Can also be furnished Drilled for Double Bath Combination and Connected Waste and Overflow.

DIMENSIONS

Made in Two Sizes as Follows:

Size	5 ft.	5½ ft.
Length over all.....	60½ in.	66½ in.
Width over all.....	30½ in.	30½ in.
Height over all.....	18 in.	18 in.
Depth inside.....	17 in.	17 in.
Rim	3¾ in	3¾ in.
Approx. shipping weight.....	570 lbs.	630 lbs.

IMPORTANT--Be sure to state kind of drilling wanted.



Senior Recess

Plate N-14 - Outlet in Right Hand End

Plate N-15 - Outlet in Left Hand End

One Piece Built-in Bath for Recess Enameled All Over. Drilled for Top Nozzle Supply Fitting as shown.


Can also be furnished Drilled for Double Bath Combination and Connected Waste and Overflow.

DIMENSIONS

Made in Two Sizes as Follows:

Size	5 ft.	5½ ft.
Length over all.....	59½ in.	65½ in.
Width over all.....	30 in.	30 in.
Height over all.....	18¼ in.	18¼ in.
Depth inside.....	17 in.	17 in.
Rim.....	3¾ in.	3¾ in.
Approx. shipping weight.....	525 lbs.	620 lbs.

IMPORTANT—Be sure to state kind of drilling wanted.



A Junior—Plate N-20

One Piece Built-in Bath Enameled All Over or Enameled Inside Only. Left Hand Corner with Outlet in Right Hand End. Drilled for Top Nozzle Supply Fitting as shown.


Can also be furnished Drilled for Double Bath Combination and Connected Waste and Overflow.

DIMENSIONS

Made in Two Sizes as Follows:

Sizes	5	ft.	5½	ft.
Length over all.....	61½	in.	67½	in.
Width over all.....	29½	in.	29½	in.
Height over all.....	18¼	in.	18¼	in.
Depth inside.....	17	in.	17	in.
Rim.....	3	in.	3	in.
Approx. shipping weight.....	560	lbs.	625	lbs.

IMPORTANT—Be sure to state kind of drilling wanted and advise whether bath is to be enameled all over or enameled inside only.



B Junior—Plate N-21

One Piece Built-in Bath Enameled All Over or Enameled Inside Only. Right Hand Corner with Outlet in Left Hand End. Drilled for Top Nozzle Supply Fitting as shown.


Can also be furnished Drilled for Double Bath Combination and Connected Waste and Overflow.

DIMENSIONS

Made in Two Sizes as Follows:

Sizes	5 ft.	5½ ft.
Length over all.....	61½ in.	67½ in.
Width over all.....	29½ in.	29½ in.
Height over all.....	18¼ in.	18¼ in.
Depth inside.....	17 in.	17 in.
Rim.....	3 in.	3 in.
Approx. shipping weight.....	560 lbs.	625 lbs.

IMPORTANT—Be sure to state kind of drilling wanted and advise whether bath is to be enameled all over or enameled inside only.



AX Junior—Plate N-22

One Piece Built-in Bath Enameled All Over or Enameled Inside Only. Left Hand Corner with Outlet in Left Hand End. Drilled for Top Nozzle Supply Fitting as shown.


Can also be furnished Drilled for Double Bath Combination and Connected Waste and Overflow.

DIMENSIONS

Made in Two Sizes as Follows:

Sizes	5	ft.	5½	ft.
Length over all.....	61½	in.	67½	in.
Width over all.....	29½	in.	29½	in.
Height over all.....	18¼	in.	18¼	in.
Depth inside.....	17	in.	17	in.
Rim.....	3	in.	3	in.
Approx. shipping weight.....	500	lbs.	600	lbs.

Important—Be sure to state kind of drilling wanted and advise whether bath is to be enameled all over or enameled inside only.



BX Junior—Plate N-23

One Piece Built-in Bath Enameled All Over or Enameled Inside Only. Right Hand Corner with Outlet in Right Hand End. Drilled for Top Nozzle Supply Fitting as shown.


Can also be furnished Drilled for Double Bath Combination and Connected Waste and Overflow.

DIMENSIONS

Made in Two Sizes as Follows:

Sizes	5 ft.	5½ ft.
Length over all.....	61½ in.	67½ in.
Width over all.....	29½ in.	29½ in.
Height over all.....	18¼ in.	18¼ in.
Depth inside.....	17 in.	17 in.
Rim.....	3 in.	3 in.
Approx. shipping weight.....	560 lbs.	625 lbs.

IMPORTANT—Be sure to state kind of drilling wanted and advise whether bath is to be enameled all over or enameled inside only.



Junior Recess

Plate N-24 - Outlet in Right Hand End
 Plate N-25 - Outlet in Left Hand End

One Piece Built-in Bath for Recess Enameled All Over or Enameled Inside Only. Drilled for Top Nozzle Supply Fitting as shown.

Can also be furnished Drilled for Double Bath Combination and Connected Waste and Overflow.

DIMENSIONS

Made in Two Sizes as Follows:

Sizes	5	ft.	5½	ft.
Length over all.....	59½	in.	65½	in.
Width over all.....	29½	in.	29½	in.
Height over all.....	18¼	in.	18¼	in.
Depth inside.....	17	in.	17	in.
Rim.....	3	in.	3	in.
Approx. shipping weight.....	500	lbs.	600	lbs.

IMPORTANT—Be sure to state kind of drilling wanted and advise whether bath is to be enameled all over or enameled inside only.




Plate N-39-D

Tub on Loose Base, Enameled Inside, Painted Outside.

DIMENSIONS

Rim 3 in.

Width over rim.....	30 in.	Height.....	22 in.
Width inside.....	24 in.	Depth.....	17½ in.

Made in Three Sizes as Follows:

Sizes	4½ ft.	5 ft.	5½ ft.
Approx. shipping weight.....	310 lbs.	345 lbs.	375 lbs.




Plate N-39

Tub on Feet, Enameled Inside, Painted Outside.

DIMENSIONS

Rim 3 in.

Width over rim.....	30	in.	Height.....	22	in.
Width inside.....	24	in.	Depth.....	17½	in.
Sizes	4 ft.	4½ ft.	5 ft.	5½ ft.	6 ft.
Ap. shipping wt....	235 lbs.	275 lbs.	300 lbs.	330 lbs.	375 lbs.




Plate N-60

Tub on Feet, Enameled Inside, Painted Outside.

DIMENSIONS

Width over rim.....	26 in.	Height.....	22 in.
Width inside.....	22 in.	Depth.....	17 in.

Made in Three Sizes as Follows:

Sizes	4 ft.	4½ ft.	5 ft.
Approx. shipping weight.....	230 lbs.	250 lbs.	285 lbs.




Plate N-120

Enameled Barber's two-bowl Pedestal Lavatory with Soap Cups and Enameled Pedestals. Drilled for shampoo fixture and standing wastes.

DIMENSIONS

Sizes	26	x48	in.
Basin	12½	x17½	in.
Height from floor to top of slab.....	31½		in.
Approximate shipping weight.....	470		lbs.

ROUGHING-IN MEASUREMENTS

Center to center wastes across slab.....	10	in.
Center to center supplies across slab.....	12½	in.
Center to center supplies each basin.....	12	in.
Center to center bowl outlets.....	22	in.




Plate N-130D

Enameled Serpentine Lavatory with Soap Cup and
Enameled Pedestal.

DIMENSIONS

Size.....25x34 in. Basin.....12½x17½ in.
Height from floor to top of slab..... 31¼ in.

ROUGHING-IN MEASUREMENTS

Center to center supplies..12 in. Center waste to wall.....14½ in.
Center supplies to wall.... 9 in. Approx. shipping weight.250 lbs.

N-130 Regular drilling for chain and plug.

N-130A Drilled for standing waste.

N-130B Drilled for pop-up waste.

N-130D Drilled for shampoo fixture.





Plate N-131D

Enameled Serpentine Lavatory with Soap Cup and
Enameled Pedestal.

DIMENSIONS

Size.....23x27 in. Basin.....11½x16½ in.
Height from floor to top of slab..... 32¼ in.

ROUGHING-IN MEASUREMENTS

Center to center supplies..12 in. Center waste to wall.....13½ in.
Center supplies to wall.... 8¾ in. Approx. shipping weight..215 lbs.

- N-131 Regular drilling for chain and plug.
- N-131A Drilled for standing waste.
- N-131B Drilled for pop-up waste.
- N-131D Drilled for shampoo fixture





Plate N-137

Enameled Lavatory with Rear Outlet Oval Bowl and
Enameled Pedestal.

DIMENSIONS

Size.....	20x24 in.	Basin.....	11½x16½ in.
Size.....	23x26 in.	Basin.....	12½x17½ in.
Height from floor to top of slab.....	31 in.		

ROUGHING-IN MEASUREMENTS

	20x24	23x26
Center to center supplies.....	12 in.	12 in.
Center supplies to wall.....	5¾ in.	7 in.
Center waste to wall.....	11 in.	11½ in.
Approx. shipping weight.....	185 lbs.	215 lbs.

(Measurements allow 2 inches between lavatory and wall)

Plate N-137 Regular drilling for chain and plug.

Plate N-137A Drilled for standing waste.

Plate N-137B Drilled for pop-up waste.

Plate N-137-D Drilled for shampoo fixture.



Plate N-150
Enameled Lavatory with Rear Outlet Oval Bowl and
Wall Hanger.

DIMENSIONS

Size	18x21	Basin	10½x14½ in.	Back	7½ in.
Size	18x24	Basin	11 x16 in.	Back	10 in.
Size	20x24	Basin	11½x16½ in.	Back	10 in.

ROUGHING-IN MEASUREMENTS

	18x21	18x24	20x24
Center to center supplies.....	12 in.	12 in.	12 in.
Center supplies to wall.....	3¾ in.	3¾ in.	4 in.
Center waste to wall.....	7 in.	7 in.	8 in.
Approx. shipping weight.....	85 lbs.	100 lbs.	125 lbs.

Plate N-150 Regular drilling for chain and plug.

Plate N-150A Drilled for standing waste.

Plate N-150B Drilled for pop-up waste.




Plate N-160
Enameled Lavatory with Rear Outlet Oval Bowl and
Wall Hanger.

DIMENSIONS

Size 16x19	Basin 10x14 in.	Back 6 in.
Size 18x21	Basin 10x14 in.	Back 8 in.

ROUGHING-IN MEASUREMENTS

	16x19	18x21
Center to center supplies.....	12 in.	12 in.
Center supplies to wall.....	3¼ in.	3½ in.
Center waste to wall.....	6½ in.	7¼ in.
Approx. shipping weight.....	65 lbs.	85 lbs.

Plate N-160 Regular drilling for chain and plug.

Plate N-160A Drilled for standing waste.

Plate N-160B Drilled for pop-up waste.




Plate N-162

Enameled Lavatory with Rear Outlet Oval Bowl and Wall Hanger.

DIMENSIONS

Size 16x19	Basin 10x14 in.	Back 6 in.
Size 18x21	Basin 10x14 in.	Back 8 in.

ROUGHING-IN MEASUREMENTS

	16x19	18x21
Center to center supplies.....	12 in.	12 in.
Center supplies to wall.....	3½ in.	3½ in.
Center waste to wall.....	6¼ in.	7¼ in.
Approx. shipping weight.....	55 lbs.	75 lbs.



Plate N-166

Enameled Lavatory with Center Outlet Oval Bowl
and Wall Hanger.

DIMENSIONS

Size 14x26

Basin, 10x16 in.

Back, 6 in.

ROUGHING-IN MEASUREMENTS

Center to center supplies.....	16	in.
Center supplies to wall.....	3 1/4	in.
Center waste to wall.....	7	in.
Approx. shipping weight.....	75	lbs.




Plate N-170

Enameled Lavatory with Rear Outlet Oval Bowl and Wall Hangers.

DIMENSIONS

Length on sides	20 in.	17½ in.
Basin	11x15 in.	10x14 in.
Back	8 or 10 in.	6 in.

ROUGHING-IN MEASUREMENTS

	20 in. size	17½ in. size
Center to center supplies.....	7 in.	6 in.
Center right supply to wall.....	3¾ in.	3½ in.
Center left supply to right wall.....	9 in.	7¾ in.
Center waste to wall.....	8¾ in.	8¾ in.
Approx. shipping weight.....	90 lbs.	75 lbs.

Plate N-170 Regular drilling for chain and plug.
 Plate N-170A Drilled for standing waste.



Plate N-172

Enameled Lavatory with Rear Outlet Oval Bowl and Wall Hangers.

DIMENSIONS

Length on sides.....	20 in.	17½ in.
Basin	11x15 in.	10x14 in.
Back	8 or 10 in.	6 in.

ROUGHING-IN MEASUREMENTS

	20 in. size	17½ in. size
Center to center supplies.....	7 in.	6 in.
Center right supply to wall.....	3¾ in.	3½ in.
Center left supply to right wall.....	8½ in.	7¾ in.
Center waste to wall.....	9 in.	8½ in.
Approx. shipping weight.....	90 lbs.	70 lbs.




Plate N-200

Enameled Lavatory with Center Outlet Bowl and Wall Hanger.

DIMENSIONS

Size 14x14 in. Basin 12 in. Back 4 in.

Center to center supplies.....	11 in.
Center supplies to wall.....	3¼ in.
Center waste to wall.....	7½ in.
Approx. shipping weight.....	50 lbs.




Plate N-201


Enameled Lavatory with Center Outlet Bowl and Wall Hangers.

DIMENSIONS

Length of sides 15 in. Round Basin 12 in. Back 4 in.

ROUGHING-IN MEASUREMENTS

Center to center supplies.....	15½ in.
Center right supply to wall.....	2¾ in.
Center left supply to right wall.....	13¾ in.
Center waste to wall.....	8½ in.
Approx. shipping weight.....	55 lbs.




Melbourne—Plate N-235

Eight-inch Back, Eight-inch Sink, Eight-inch Apron.

Enameled One-piece Apron Sink with two drain boards on concealed wall hangers. Can be furnished with adjustable enameled legs.

DIMENSIONS

Length over all.....	60	in.
Width over all.....	22	in.
Length of sink.....	22	in.
Depth of sink.....	8	in.
Length of drain boards.....	19	in.
Back	8	in.
Apron	8	in.
Approx. shipping weight.....	360	lbs.




Prescott—Plate N-240

Eight-inch Back, Eight-inch Sink, Eight-inch Apron.

Enameled One-piece Apron Sink with right hand drain board on concealed wall hangers. Can be furnished with adjustable enameled legs.

DIMENSIONS

Length over all.....	52	in.
Width over all.....	22	in.
Length of sink.....	28	in.
Depth of sink.....	8	in.
Length of drain board.....	24	in.
Back	8	in.
Apron	8	in.
Approx. shipping weight.....	320	lbs.



Prescott—Plate N-241

Eight-inch Back, Eight-inch Sink, Eight-inch Apron.

Enameled One-piece Apron Sink with left hand drain board on concealed wall hangers. Can be furnished with adjustable enameled legs.

DIMENSIONS

Length over all.....	52	in.
Width over all.....	22	in.
Length of sink.....	28	in.
Depth of sink.....	8	in.
Length of drain board.....	24	in.
Back	8	in.
Apron	8	in.
Approx. shipping weight.....	320	lbs.




Plate N-265

Enameled One-piece Apron Sink with double drain board on concealed wall hangers. Can be furnished with adjustable enameled legs.

DIMENSIONS

Made in Two Sizes as Follows:

Length over all.....	60	in.	74	in.
Width over all.....	22	in.	22	in.
Length of sink.....	22	in.	28	in.
Depth of sink.....	6	in.	7	in.
Length of drain boards.....	19	in.	23	in.
Back	12	in.	12 $\frac{3}{4}$	in.
Apron	6	in.	7	in.
Approx. shipping weight.....	325	lbs.	425	lbs.




Plate N-266

Enameled One-piece Apron Corner Sink with right hand end piece and right hand drain board, on concealed wall hangers. Can be furnished with adjustable enameled leg.

DIMENSIONS

Length over all.....	52	in.
Width over all.....	22	in.
Length of sink.....	28	in.
Depth of sink.....	6	in.
Length of drain board.....	24	in.
Back	12	in.
Apron	6	in.
Approx. shipping weight.....	295	lbs.




Plate N-267

Enameled One-piece Apron Corner Sink with left hand end piece and left hand drain board, on concealed wall hangers. Can be furnished with adjustable enameled leg.

DIMENSIONS

Length over all.....	52	in.
Width over all.....	22	in.
Length of sink.....	28	in.
Depth of sink.....	6	in.
Length of drain board.....	24	in.
Back	12	in.
Apron	6	in.
Approx. shipping weight.....	295	lbs.




Plate N-268

Enameled One-piece Apron Corner Sink with left hand end piece and right hand drain board, on concealed wall hangers. Can be furnished with adjustable enameled leg.

DIMENSIONS

Made in Three Sizes as Follows:

Length over all.....	52	in.	48	in.	42	in.
Width over all.....	20	in.	20	in.	20	in.
Length of sink.....	28	in.	26	in.	22	in.
Depth of sink.....	6	in.	6	in.	6	in.
Length of drain board.....	24	in.	22	in.	20	in.
Back	12	in.	12	in.	12	in.
Apron	6	in.	6	in.	6	in.
Approx. shipping weight.....	285	lbs.	260	lbs.	240	lbs.




Plate N-269

Enameled One-piece Apron Corner Sink with right hand end piece and left hand drain board, on concealed wall hangers. Can be furnished with adjustable enameled leg.

DIMENSIONS

Made in Three Sizes as Follows:

Length over all.....	52	in.	48	in.	42	in.
Width over all.....	20	in.	20	in.	20	in.
Length of sink.....	28	in.	26	in.	22	in.
Depth of sink.....	6	in.	6	in.	6	in.
Length of drain board.....	24	in.	22	in.	20	in.
Back	12	in.	12	in.	12	in.
Apron	6	in.	6	in.	6	in.
Approx. shipping weight.....	285	lbs.	260	lbs.	240	lbs.




Plate N-270

Enameled One-piece Apron Sink with right hand drain board on concealed wall hangers. Can be furnished with adjustable enameled legs.

DIMENSIONS

Made in Three Sizes as Follows:

Length over all.....	52	in.	48	in.	42	in.
Width over all.....	20	in.	20	in.	20	in.
Length of sink.....	28	in.	26	in.	22	in.
Depth of sink.....	6	in.	6	in.	6	in.
Length of drain board.....	24	in.	22	in.	20	in.
Back	12	in.	12	in.	12	in.
Apron	6	in.	6	in.	6	in.
Approx. shipping weight.....	265	lbs.	250	lbs.	210	lbs.




Plate N-271

Enameled One-piece Apron Sink with left hand drain board on concealed wall hangers. Can be furnished with adjustable enameled legs.

DIMENSIONS

Made in Three Sizes as Follows:

Length over all.....	52	in.	48	in.	42	in.
Width over all.....	20	in.	20	in.	20	in.
Length of sink.....	28	in.	26	in.	22	in.
Depth of sink.....	6	in.	6	in.	6	in.
Length of drain board.....	24	in.	22	in.	20	in.
Back	12	in.	12	in.	12	in.
Apron	6	in.	6	in.	6	in.
Approx. shipping weight.....	265	lbs.	250	lbs.	210	lbs.




Plate N-272

Enameled One-piece Roll Rim sink with right hand drain board on concealed wall hangers. Can be furnished with adjustable painted legs.

DIMENSIONS

Made in Two Sizes as Follows:

Length over all.....	52	in.	42	in.
Width over all.....	20	in.	20	in.
Length of sink.....	28	in.	22	in.
Depth of sink.....	6	in.	6	in.
Length of drain board.....	24	in.	20	in.
Back	12	in.	12	in.
Approx. shipping weight.....	230	lbs.	180	lbs.






Plate N-273

Enameled One-piece Roll Rim sink with left hand drain board on concealed wall hangers. Can be furnished with adjustable painted legs.

DIMENSIONS

Made in Two Sizes as Follows:

Length over all.....	52	in.	42	in.
Width over all.....	20	in.	20	in.
Length of sink.....	28	in.	22	in.
Depth of sink.....	6	in.	6	in.
Length of drain board.....	24	in.	20	in.
Back	12	in.	12	in.
Approx. shipping weight.....	230	lbs.	180	lbs.




Plate N-274

Enameled One-piece Roll Rim Sink with left hand end piece and right hand drain board, on concealed wall hangers. Can be furnished with adjustable painted leg.

DIMENSIONS

Made in Two Sizes as Follows:

Length over all.....	52	in.	42	in.
Width over all.....	20	in.	20	in.
Length of sink.....	28	in.	22	in.
Depth of sink.....	6	in.	6	in.
Length of drain board.....	24	in.	20	in.
Back	12	in.	12	in.
Approx. shipping weight.....	265	lbs.	208	lbs.




Plate N-275

Enameled One-piece Roll Rim Sink with right hand end piece and left hand drain board, on concealed wall hangers. Can be furnished with adjustable painted leg.

DIMENSIONS

Made in Two Sizes as Follows:

Length over all.....	52	in.	42	in.
Width over all.....	20	in.	20	in.
Length of sink.....	28	in.	22	in.
Depth of sink.....	6	in.	6	in.
Length of drain board.....	24	in.	20	in.
Back	12	in.	12	in.
Approx. shipping weight.....	265	lbs.	208	lbs.




Plate N-276

Enameled One-piece Roll Rim Sink with left hand end piece and left hand drain board, on concealed wall hangers. Can be furnished with adjustable painted leg.

DIMENSIONS

Length over all.....	52	in.
Width over all.....	20	in.
Length of sink.....	28	in.
Depth of sink.....	6	in.
Length of drain board.....	24	in.
Back	12	in.
Approx. shipping weight.....	265	lbs.




Plate N-277

Enameled One-piece Roll Rim Sink with right hand end piece and right hand drain board, on concealed wall hangers. Can be furnished with adjustable painted leg.

DIMENSIONS

Length over all.....	52	in.
Width over all.....	20	in.
Length of sink.....	28	in.
Depth of sink.....	6	in.
Length of drain board.....	24	in.
Back	12	in.
Approx. shipping weight.....	265	lbs.




Plate N-283

Enameled One-piece Roll Rim Sink with double drain board on concealed wall hangers. Can be furnished with adjustable painted legs.

DIMENSIONS

Length over all.....	60	in.
Width over all.....	22	in.
Length of sink.....	22	in.
Depth of sink.....	6	in.
Length of drain boards.....	19	in.
Back	12	in.
Approx. shipping weight.....	280	lbs.



Plate N-290

Enameled one-piece apron laundry tray and sink combination, with right hand laundry tray and interchangeable ash drainboard. Supported on concealed wall hangers and adjustable enameled legs.

DIMENSIONS

Length over all.....	51	in.
Width over all.....	23½	in.
Sink inside.....	19½x21¾	in.
Depth of sink inside.....	8	in.
Tray inside.....	19½x21¾	in.
Depth of tray inside.....	13¼	in.
Back	8	in.
Apron	6	in.
Approx. shipping weight.....	400	lbs.



Plate N-291

Enameled one-piece apron laundry tray and sink combination, with left hand laundry tray and interchangeable ash drainboard. Supported on concealed wall hangers and adjustable enameled legs.

DIMENSIONS

Length over all.....	51	in.
Width over all.....	23½	in.
Sink inside.....	19½x21¾	in.
Depth of sink inside.....	8	in.
Tray inside.....	19½x21¾	in.
Depth of tray inside.....	13¼	in.
Back	8	in.
Apron	6	in.
Approx. shipping weight.....	400	lbs.



Plate N-296

Enameled flat rim laundry tray on painted adjustable pedestal.

DIMENSIONS

Made in Two Sizes as Follows:

Length over all each section.....	24	in.	26	in.
Width over all.....	22	in.	25 $\frac{3}{4}$	in.
Length inside each section.....	21 $\frac{1}{4}$	in.	23 $\frac{1}{4}$	in.
Front to back inside.....	19	in.	22 $\frac{3}{4}$	in.
Depth inside.....	14	in.	15	in.
Approximate shipping weight.....	135	lbs.	150	lbs.






Plate N-300

Enameled One-piece Roll Rim Sink, on concealed wall hangers.

Made in Six Sizes as Follows:

*18x24 in.....	Approx. Shipping Wght. (crated)	100 lbs.
18x30 in.....	Approx. Shipping Wght. (crated)	110 lbs.
*20x30 in.....	Approx. Shipping Wght. (crated)	120 lbs.
*22x30 in.....	Approx. Shipping Wght. (crated)	150 lbs.
20x36 in.....	Approx. Shipping Wght. (crated)	160 lbs.
*22x36 in.....	Approx. Shipping Wght. (crated)	175 lbs.

*Can be furnished with Right or Left Hand End Piece.

Plate N-300R Right Hand End Piece.

Plate N-300L Left Hand End Piece.




Plate N-400
Enameled Flat Rim Sink

Made in Eleven Sizes

12x12x6 in.....	Packed 3	in crate, approx. shipping weight	85 lbs.
12x16x6 in.....	Packed 3	in crate, approx. shipping weight	105 lbs.
16x20x6 in.....	Packed 3	in crate, approx. shipping weight	115 lbs.
16x24x6 in.....	Packed 3	in crate, approx. shipping weight	125 lbs.
16x30x6 in.....	Packed 3	in crate, approx. shipping weight	130 lbs.
18x24x6 in.....	Packed 3	in crate, approx. shipping weight	140 lbs.
18x30x6 in.....	Packed 3	in crate, approx. shipping weight	180 lbs.
18x36x6 in.....	Packed 3	in crate, approx. shipping weight	190 lbs.
20x24x6 in.....	Packed 3	in crate, approx. shipping weight	180 lbs.
20x30x6 in.....	Packed 3	in crate, approx. shipping weight	200 lbs.
20x36x6 in.....	Packed 3	in crate, approx. shipping weight	225 lbs.

*Can be furnished with center outlet for new style strainer.




Plate N-450

Enameled Roll Rim Sink Back for Flat Rim Sinks.

ROUGHING-IN MEASUREMENTS

Center to center of cockholes.....	8	in.
Height of back.....	12	in.
Depth of roll.....	1½ and 2¼	in.

Made in Four Sizes:

Length 20 in. Packed 6 in crate, approx. shipping wght.	150 lbs.
Length 24 in. Packed 6 in crate, approx. shipping wght.	165 lbs.
Length 30 in. Packed 6 in crate, approx. shipping wght.	200 lbs.
Length 36 in. Packed 6 in crate, approx. shipping wght.	250 lbs.

Important—Be sure to state depth of sink back desired.




Plate N-460

Enameled Drain Board with Wall Support for Roll Rim Sinks.

SIZES

Made in Six Sizes as Follows:

18x18 in. long.....	Approx. Shipping Weight 35 lbs.
18x24 in. long.....	Approx. Shipping Weight 40 lbs.
20x18 in. long.....	Approx. Shipping Weight 40 lbs.
20x24 in. long.....	Approx. Shipping Weight 45 lbs.
22x18 in. long.....	Approx. Shipping Weight 45 lbs.
22x24 in. long.....	Approx. Shipping Weight 55 lbs.



Plate N-462

Enameled Flat Rim Slop Sink

SIZES

Made in Seven Sizes as Follows:

12x12x6 in.....	Packed 3 in crate, approx. shipping wght.	90 lbs.
16x16x10 in.....	Packed 3 in crate, approx. shipping wght.	105 lbs.
14x20x12 in.....	Packed 1 in crate, approx. shipping wght.	65 lbs.
16x20x12 in.....	Packed 1 in crate, approx. shipping wght.	75 lbs.
20x24x12 in.....	Packed 1 in crate, approx. shipping wght.	95 lbs.
20x30x12 in.....	Packed 1 in crate, approx. shipping wght.	150 lbs.
20x36x12 in.....	Packed 1 in crate, approx shipping wght.	175 lbs.




Plate N-464

Enameled Roll Rim Slop Sink with 12-inch Back.
Can be furnished with "S" or "P" Trap Standard.

DIMENSIONS

16x20x12 in.....	Approx. Shipping Weight 125 lbs.
18x22x12 in.....	Approx. Shipping Weight 150 lbs.
20x24x12 in.....	Approx. Shipping Weight 170 lbs.



Plate N-469

Enameled Roll Rim Urinal with 10-inch Back and Wall Hangers.

ROUGHING-IN MEASUREMENTS

Center waste to wall..... 4 in.

SIZES

Made in Five Sizes as Follows:

Length	24 in.	30 in.	36 in.	42 in.	48 in.
Approx. Shipping					
Weight	100 lbs.	130 lbs.	135 lbs.	145 lbs.	160 lbs.



Plate N-473

Enameled Closet Tank with Fittings, Supply Pipe to
Floor and Flush Connection.

DIMENSIONS

Width 20 in.	Height 15¼ in.	Depth 6 in.
Tank with fittings.....	Approx. Shipping Weight	100 lbs.
Tank without fittings.....	Approx. Shipping Weight	95 lbs.



Plate N-475

Enameled Closet Tank with Fittings, Supply Pipe to
Floor and Flush Connection.

DIMENSIONS

Width 21 in. Height 16 in. Depth 7 in.

Tank with fittings.....Approx. Shipping Weight 100 lbs.

Tank without fittings.....Approx. Shipping Weight 95 lbs.



Plate 1457-1504

Vitreous China Syphon Action Washdown Closet with jet. Furnished with Fittings, Supply Pipe to Floor and Flush Connection.

Approximate Shipping Weight

No. 1457 Tank with Fittings.....	65 lbs.
No. 1504 Washdown Bowl.....	45 lbs.



Plate 1457-1517

Vitreous China Syphon Action Closet with Jet. Furnished with Fittings, Supply Pipe to Floor and Flush Connection.

Approximate Shipping Weight

No. 1457 Tank with Fittings.....	65 lbs.
No. 1517 Bowl	45 lbs.



Plate 1457-1522

Vitreous China Syphon Jet Closet. Furnished with
Fittings, Supply Pipe to Floor and Flush Connection.

Approximate Shipping Weight

No. 1457 Tank with Fittings.....	65 lbs.
No. 1522 Bowl	50 lbs.

